HP PageWide Pro 477dw Multifunction Printer



Unbeatable value. Unparalleled speed.

Ultimate value and speed – HP PageWide Pro delivers the lowest total cost of ownership and fastest speeds in its class. Get quick two-sided scanning, plus best-in-class security features and energy efficiency. 4





Professional colour, breakthrough total cost

- Results you expect and lasting value breakthrough total cost of ownership, the lowest in its class.²
- Print professional-quality colour on a variety of papers perfect for office use.
- Print more pages and replace cartridges less often, using Original HP PageWide high-yield cartridges.⁵
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.⁶

The fastest MFP in its class¹

- Wait less, do more with unmatched speeds¹ up to 55 ppm and the fastest first-page printing in its class.⁷
- Get fast two-sided scanning directly to email and the cloud with this LDAP-enabled MFP.
- Manage tasks from a 10.9 cm (4.3-inch) touchscreen. Print Microsoft® Word and PowerPoint® files from USB®
- Print from your mobile device with Wi-Fi Direct and NFC touch-to-print technology no network needed.^{10,11}

Proven technology. Superior energy efficiency.4

- Minimise downtime with HP PageWide Technology that delivers reliable performance businesses demand.
- Conserve with HP PageWide Technology designed to use less energy than any MFP in its class.4
- Get professional-quality colour documents and the performance you expect with Original HP PageWide cartridges.

Best-in-class security³ and management features

- Help protect your investment and extend capabilities as your needs grow, with a portfolio of solutions.¹²
- Help ensure the security of confidential information. Enter a PIN at the device to retrieve your print inh
- Regulate colour use and reduce printing costs with HP Colour Access Control.¹³
- Help keep your printer secure from boot up to shutdown with secure boot and secure code integrity validation.

Highlights

- Single-pass, two-sided printing
- Wi-Fi direct printing and NFC touch-to-print
- UPD PIN printing with on-board/off-board memory
- Customizable control panel





2-sided scanning Color touchscreen





HP PageWide Technology

HP Mobile Printing

Technical specifications

| Functions | Print, copy, scan, fax |
|---------------------------------|--|
| Print speed | Up to 40 ppm ISO black (A4); Up to 40 ppm ISO colour (A4); Up to 21 ipm duplex (A4) |
| | General Office (black) Up to 55 ppm; General Office (colour) Up to 55 ppm First page out: As fast as 6.5 sec black (A4, ready); As fast as 7 sec colour (A4, ready) |
| Print resolution | Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on unspecified plain paper, HP Premium Presentation Matte, and HP Brochure Matte) black; Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers) colour |
| Print Area | Print margins: Top: 4.2 mm; Bottom: 4.2 mm; Left: 4.2 mm; Right: 4.2 mm |
| Print languages | HP PCLXL (PCL6), native PDF, HP Postscript Level 3 emulation |
| Print capabilities | Borderless printing: No; Direct print supported: Wireless direct printing |
| Print cartridges number | 4 (1 each black, cyan, magenta, yellow) |
| Mobile printing capability | HP ePrint, HP Mobile Apps, Google Cloud Print v2, Apple AirPrint™, Mopria-certified Android Plug-in, Windows 10/8, Windows 10 Mobile, Chromebook |
| Monthly duty cycle | Up to 50,000 pages (A4); Recommended monthly page volume: 750 to 4,500 |
| Automatic paper sensor | Yes |
| Display | 10.92 cm (4.3") CGD (Colour Graphic Display), IR touchscreen |
| Wireless capability | Yes |
| Connectivity | Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 2 RJ-11 modern port/phone line; 802.11 b/g/h Station; 802.11 b/g Access Point; Optional: Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 & 3.0 Peripherals (J7942G), HP Jetdirect ew4200 802.11 b/g/ wireless and Fast Ethernet external Print server (USB 2.0, 10/100Base-TX, 802.11 b/g) (J7951G), HP Jetdirect ew2500 802.11 b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport TimeCapsule; Wi-Fi Direct |
| Memory | Standard: 768 MB; Maximum: 768 MB |
| Copier settings | ID copy; Resize: Quality, Lighter/Darker: Two-sided copying; Tray selection; Collate Binding marging; Copy preview with crop and rezise; Enhancements; Enable/Disable copy; Enable/Disable copy colour; Colour Access Control; Native authorization & authentication; Set as new defaults; Maximum number of copies: Upt to 99 copies: Copy resolution: Up to 600 dpi |
| Copy speed | Up to 40 cpm black ISO (A4), Up to 40 cpm colour ISO (A4) |
| Copier smart software features | Reduce/Enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, sharpness) |
| Scanner specifications | Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, Scan to email with LDAP email address lookup, Scan to network Folder, Scan to USB, Scan to sharepoint, Scan to computer with SW; Client applications: EWS, HP Scan App, compatible with HP Capture and Router: Twain version: Version 1.9; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical Scan resolution: Up to 1200 dpi |
| Scan file format | Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), searchable PDF (.pdf), Text (.txt), TIFF (.tif) |
| Scan speed | Up to 25 ipm (monochrome & colour); Up to 26 ipm (monochrome & colour); duplex: Up to 26 ipm (monochrome & colour) |
| Scannable area | Maximum media size: 216 x 356 mm; Maximum media size: 216 x 356 mm ADF |
| Bit depth/ Greyscale levels | 24-bit (color); 8-bit (gray)/ 256 |
| Digital sending | Standard: Scan to Email with LDAP email address lookup; Scan to Network Folder; Scan to USB; Scan to Sharepoint; Scan to Computer with SW; Fax Archive to Network Folder; Fax Archive to Email; Fax to Computer; Enable/Disable Fax; Enable/Disable colour Fax, Colour Access Control; Native Authorization & Authentication |
| Fax | Yes, colour, 33.6 kbps |
| Fax specifications | Fax memory: Up to 100 pages (black and white); Up to 8 pages (colour); Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 199 |
| Fax smart software features | numbers Digital Fax - fax to computer is available with Windows and Macintosh, visit http://www.hp.com/support to download the latest software |
| Memory card compatibility | None |
| Printer smart software features | HP ePrint; HP Mobile Apps; Google Cloud Print v2; Apple AirPrint ¹⁹⁴ ; HP EasyColor; Print preview; Automatic two-sided printing; Print multiple pages per sheet (2, 4, 6 9, 16); Collation; Booklet Printing; Cover pages: Tray Selection; Scaling; Portrait/Landscape orientation; High Quality Greyscale and Black Ink only; General Office/Professional/Presentation/Maximum dpi print modes; Front USB port; Copy/Scan/Fax; Control Panel Shortcuts; HP UPD PIN Printing; HP Color Access Control; Optional: HP and third party extensibility solutions; Wireless |
| Printer management | HP Web Jetadmin; Embedded Web Server; HP UPD Printer Administrator Resource Kit; HP Utility (Mac); HP JetAdvantage Security Manager |
| Security management | SSL/TLS (HTTPS), LDAP authentication; Optional HP and 3rd party authentication solutions (e.g. badge readers) IPP over TLS; WPA2-Enterprise wired; 802.1 x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); Firewall, certificates configuration; Control panel tock; Passwor protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; Native authentication and authorization access control, native colour access control; Configurable authentication time out; UPD PI printing; Mopy mode via UPD PIN printing; Compatible with optional HP JetAdvantage Security Manager |

| D3Q23A HP PageWide Pro 500-sheet Paper Tray P0V04A HP PageWide Pro 500-sheet Paper Tray and Stand "Only 1 additional paper handling option can be added: one additional 500-sheet tray or one 2x500-sheet tray and stand. L0S07AE HP 973X High Yield Black Original PageWide Cartridge ~1,000 pages F6T81AE HP 973X High Yield Magenta Original PageWide Cartridge ~7,000 pages F6T81AE HP 973X High Yield Magenta Original PageWide Cartridge ~7,000 pages F6T82AE HP 973X High Yield Wagenta Original PageWide Cartridge ~7,000 pages F6T81AE HP 973X High Yield Wagenta Original PageWide Cartridge ~7,000 pages F6T81AE HP 973X High Yield Vellow Original PageWide Cartridge ~7,000 pages F6T81AE HP 973X High Yield Vellow Original PageWide Cartridge ~7,000 pages Windows: Windows 8, Windows 7; Mac OS X v10.6, Mac OS X Lion, Mac OS X Mountain Lion; Linux (http://www.hplip.net) Windows: Windows 10, 8.1, 8, 7: 32-bit/G4-bit, 2 GB available hard disk space, CD-R0M/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vistae* 32-bit only, 2 GB available hard disk space, CD-R0M/DVD drive or Internet connection, USB port, Internet Explorer 8 Mac: Apple* OS X Yosemite, OS X Mavericks, OS X Mountain Lion, 1 GB available hard disk space, Internet required, USB Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Participation Study; IRIS OCR Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy) brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: Gricio, A4, A5, A6, B5 (IIS), B6 (IIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (IIS), envelopes, 10 x 356 mm Input standard: 500-sheet input tray, 50-sheet multi-purpose tray; Maximum cards: Up to 100 cards; Up to 25 sheets photo paper; Maximum envelopes: Up to 37 envelopes Output standard: 500-sheet input tra |
|---|
| F6T81AE HP 973X High Yield Cyan Original PageWide Cartridge ~7,000 pages F6T82AE HP 973X High Yield Magenta Original PageWide Cartridge ~7,000 pages F6T82AE HP 973X High Yield Wagenta Original PageWide Cartridge ~7,000 pages F6T83AE HP 973X High Yield Yellow Original PageWide Cartridge ~7,000 pages Windows 10, Windows 8, Windows 7; Mac OS X v10.6, Mac OS X Lion, Mac OS X Mountain Lion; Linux (http://www.hplip.net) Windows: Windows* 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-R0M/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vistes* 32-bit only 2 GB available hard disk space, CD-R0M/DVD drive or Internet connection, USB port, Internet Explorer 8, Mac: Apple* OS X Yosemite, OS X Mavericks, OS X Mountain Lion, 1 GB available hard disk space, Internet Explorer 8, Mac: Apple* OS X Yosemite, OS X Mavericks, OS X Mountain Lion, 1 GB available hard disk space, Internet required, USB Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Participation Study; IRIS OCR Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, fabels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet pspecialty paper) Tray 1: Oficio, A4, A5, A6, B5 (IIS), B6 (IIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (IIS), envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: C6icio, A4, A5, A6, B5 (IIS) benvelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: C6icio, A4, A5, A6, B5 (IIS) benvelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: C6icio, A4, A5, A6, B5 (IIS) benvelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: C6icio, A4, A5, A6, B5 (IIS) benvelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: C6icio, A4, A5, A6, B5 (IIS) better involved third windows and and a construction of the constructio |
| Mountain Lion; Linux (http://www.hplip.net) Windows: Windows*® 10, 8.1, 8, 7:32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista® 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Mac: Apple® OS X Yosemite, 0 SX Mavericks, 0 SX Mountain Lion, 1 GB available hard disk space, Internet required, USB Windows Installer and discrete PCL G driver; Mac Installer and PS driver; HP Participation Study; IRIS OCR Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet psecialty paper) Tray 1: Oficio, A4, A5, A6, B5 (IIS), B6 (IIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 2: A4, A5, B5 (IIS), envelopes (Dt, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: 76 x 127 to 216 x 256 mm; Tray 2: 105 x 270 to 216 x 257 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm Input standard: 300-sheet input tray, 50-sheet multi-purpose tray; Maximum cards: Up to 100 cards; Up to 25 sheets photo paper; Maximum envelopes: Up to 37 envelopes Output standard: 300-sheet face-down output bin; Maximum: Up to 300 sheets Duplex printing: Automatic (standard) ADF: Standard, 50 sheets Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (cord); Tray 2: 60 to 120 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (prochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 |
| CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Mac: Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion, 1 GB available hard disk space, Internet required, USB Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Participation Study, IRIS OCR Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: Offici, A4, A5, A6, B5 (IIS), B6 (IIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 1: Cfici, A4, A5, B5 (IIS), envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 x 120 x 12 |
| Participation Study, IRIS OCR Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy) brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: Oficio, A4, A5, A6, B5 (IIS), B6 (IIS), 10 x 15 cm, envelopes (B5, C5, C6, DL); Tray 1: Oficio, A4, A5, A6, B5 (IIS), B6 (IIS), C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 100 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm Input standard: 500-sheet input tray, 50-sheet multi-purpose tray; Maximum cards: Up to 100 cards; Up to 25 sheets photo paper; Maximum envelopes: Up to 37 envelopes Output standard: 300-sheet face-down output bin; Maximum: Up to 300 sheets Duplex printing: Automatic (standard) ADF: Standard, 50 sheets Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (groto), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 30 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (ord); Tray 3: 60 to 120 |
| recycled, bond, other inkjet plain papen', photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy) brochure, matte brochure, in-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: Officia, A4, A5, A6, B5 (IIS), B6 (IIS), 10 × 15 cm, envelopes (B5, C5, C6, DL); Tray 1: A4, A5, B5 (IIS); envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (IIS); Custom: Tray 1: 76 × 127 to 216 × 356 mm; Tray 2: 102 × 210 × 216 × 297 mm; Optional 500-sheet tray 3: 102 × 210 to 216 × 356 mm Input standard: 500-sheet input tray, 50-sheet multi-purpose tray; Maximum cards: Up to 100 cards; Up to 25 sheets photo paper; Maximum envelopes: Up to 37 envelopes Output standard: 300-sheet face-down output bin; Maximum: Up to 300 sheets Duplex printing: Automatic (standard) ADF: Standard, 50 sheets Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (ervelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (ervelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 1; 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (card); Tray 2: 60 to 120 g/m² (card); T |
| Tray 2: A4, A5, B5 (JIS), envelopes (DL, B5, C5); Tray 3: A4, A5, B5 (JIS); Custom: Tray 1: 75 A: 72 to 2.16 x 3.56 mm; Tray 2: 102 x 2.10 to 2.16 x 2.97 mm; Optional 500-sheet tray 3: 102 x 2.10 to 2.16 x 3.56 mm Input standard: 500-sheet input tray, 50-sheet multi-purpose tray, Maximum cards: Up to 100 cards; Up to 2.5 sheets photo paper; Maximum envelopes: Up to 37 envelopes Output standard: 300-sheet face-down output bin; Maximum: Up to 300 sheets Duplex printing: Automatic (standard) ADF: Standard, 50 sheets Tray 1: 50 to 120 g/m² (plain paper), 1.25 to 300 g/m² (ploto), 75 to 90 g/m² (envelope), 1.20 to 180 g/m² (bin topolure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 1.25 to 250 g/m² (ploto), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (sard); Tray 3: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (prochure), 163 to 200 g/m² (plain paper), 125 to 300 g/m² (plain |
| cards: Up to 100 cards; Up to 25 sheets photo paper; Maximum envelopes: Up to 37 Output standard: 300-sheet face-down output bin; Maximum: Up to 300 sheets Duplex printing: Automatic (standard) ADF: Standard, 50 sheets Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photto), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (brochure), 163 to 200 g/m² (photo), 75 to 90 g/m² (photo |
| (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper), 125 |
| Media Weight Recommended: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) |
| 530 x 407 x 467 mm |
| 600 x 495 x 594 mm |
| 22.15 kg |
| 26.39 Kg |
| Temperature: -40 to 60°C, Humidity: 5 to 90% RH |
| Acoustic power emissions: 6.9 B(A); Acoustic pressure emissions: 56 dB(A) (monochrome/colour printing), 54 dB(A) (ADF monochrome copying), 54 dB(A) (ADF colour copying), 45 dB(A) (ADF colour scanning), 45 dB(A) (ADF monochrome scanning), inaudible (idle) |
| Requirements: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) Consumption: 100 watts (maximum), 70 watts average (printing), 10 watts (ready), 4.8 watts (sleep), 1.0 watt (auto-off), 0.2 watts (manual-off); Typical Electricity Consumption (TEC): 0.839 kWh/Week Power supply: Built-in power supply |
| CISPR 22:2008-09/EN 55022:2010 (Class B); CISPR 24:2010/EN 55024:2010; EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EMC Directive 2004/108/EC with CE Marking (Europe); ENERGY STAR® qualified |
| Made in China |
| One-year, on-site warranty, service and support; One-year technical phone support, chat and email |
| UBZWTE HP 3 year Next business day PageWide Pro X477 Hardware Support UBZWBE HP 4 year Next business day PageWide Pro X477 Hardware Support UBZWBE HP 5 year Next business day PageWide Pro X477 Hardware Support UBZYPE HP 1 year Post Warranty Next business day PageWide Pro X477 Hardware Support UBZYSE HP 2 year Post Warranty Next business day PageWide Pro X477 Hardware Support UBZYSE HP 3 year Post Warranty Next business day PageWide Pro X477 Hardware Support UBZXBE HP 3 year Next business day Onsite Exchange PageWide Pro X477 Service UBZXBE HP 3 year Next business day Onsite Exchange PageWide Pro X477 Service |
| 0 2 0 F 0 6 2 N 0 0 U U U I U I U |

Footnotes

1 Comparison based on manufacturers' published specifications of fastest available colour mode of all colour business printers €300-€800 and MFPs €400-€1,000 as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at the com/go/pagewidebusiness. *¹ total cost of ownership comparison based on 90,000 pages, manufacturers' recommended street prices for rompet prices for the Phardware and supplies, average street prices for competitive devices, cost per page based on 150 yeld with continuous printing in default mode with highest-available-capacity cartridges, long-life consumables of all colour business printers €300-€800 and MFPs €400-€1,000 as of November 2015, excluding products with 1% or lower market share as reported by IDC as of Q3 2015. Actual prices may vary. Learn more at hp.com/go/pagewidebusiness and hp.com/go/pagewidebusiness and hp.com/go/learnaboutsupplies. ³² Best-in-class security fleet management claim based on comparison of built-in features of all colour business printers €300-€800 and MFPs €400-€1,000 as of November 2015, excluding products with 1% or lower market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pagewidebusiness. *¹ herept Qain based on 1EC data reported on energystar, gov. Data normalised to determine energy efficiency of majority of in-class business printers €300-€800 and MFPs €400-€1,000 as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at hp.com/go/pagewidebusiness. *¹ herept Qain pagewide Cartridges are not included in printer purchase; purchase separately. Comparison based on 150 24711 cartridge, yields for HP 970 series High Yield Original PageWide Cartridges compared with HP 970 series Original PageWide Cartridges. Actual results may vary. Learn more at hp.com/go/pagewidebusiness. *¹ herept Qain pagewide Cartridges are not included in print





















